



ELEVATE YOUR SKINCARE

WITH THE POWER OF SCIENCE™

RESTORING SKIN HEALTH

A SYSTEMATIC APPROACH

ZO® offers a simple, comprehensive approach to creating and maintaining healthy skin.

STEP 1 GETTING SKIN READY™

Getting Skin Ready™ is the essential first step toward achieving healthy skin – cleanse, exfoliate and tone to restore skin to a healthy state and optimize treatment.

STEP 2 PREVENT + CORRECT

Prevent + Correct addresses specific skincare concerns, providing preventative daily skincare regimens to aggressive programs targeting repair and restoration.

STEP 3 PROTECT

As the final step of ZO® protocols, Protect provides broad-spectrum protection against sun and environmental factors contributing to signs of aging.



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Melasma

PREVENT + CORRECT

Melamin™, Melamix™, Tretinoin and Exfoliation Accelerator for 5 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 3 months

DURATION

8 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Melasma, Rosacea

PREVENT + CORRECT

Melamin™, Melamix™ and Tretinoin for 5 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance, along with 20 mg of oral isotretinoin to arrest rosacea

DURATION

6 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Melasma

PREVENT + CORRECT

Melamin™, Melamix™, Tretinoin and Exfoliation Accelerator for 5 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 3 months

DURATION

8 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Early Melasma, Post-Inflammatory Hyperpigmentation (PIH)

PREVENT + CORRECT

Melamin™, Melamix™, Tretinoin and Exfoliation Accelerator for 5 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

DURATION

6 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Severe Melasma, PIH

PREVENT + CORRECT

Melamin™, Melamix™, Tretinoin and Exfoliation Accelerator for 5 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 2 months

DURATION

7 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Melasma

PREVENT + CORRECT

Melamin™, Melamix™, Tretinoin and Exfoliation Accelerator for 5 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

DURATION

6 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Acne Scars, Large Pores, Rough Texture

PREVENT + CORRECT

Pre-condition: Melamin™, Melamix™ and Tretinoin for 2 months


Post-procedure: Melamin™, Melamix™ and Tretinoin for 3 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

IN-OFFICE TREATMENT

ZO Controlled Depth Peel®

DURATION

6 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Melasma, Skin Laxity

PREVENT + CORRECT

Pre-condition: Melamin™, Melamix™ and Tretinoin for 2 months


Post-procedure: Melamin™, Melamix™ and Tretinoin for 3 months, followed by Retinol Skin Brightener and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

IN-OFFICE TREATMENT

ZO Controlled Depth Peel®

DURATION

6 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Melasma with hydroquinone resistance, 10 years of self-treatment with 4% hydroquinone purchased from the Internet

PREVENT + CORRECT

Retinol Skin Brightener and Wrinkle + Texture Repair for 6 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 3 months

DURATION

9 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Sun Damage, Hyperpigmentation

PREVENT + CORRECT

Retinol Skin Brightener and Wrinkle + Texture Repair for 5 months

IN-OFFICE TREATMENT

ZO 3-Step Peel®

DURATION

6 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Hyperpigmentation, PIH, Freckles

PREVENT + CORRECT

Retinol Skin Brightener and Wrinkle + Texture Repair for 5 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 2 months

DURATION

7 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Melasma

PREVENT + CORRECT

Retinol Skin Brightener and Wrinkle + Texture Repair for 4 months

IN-OFFICE TREATMENT

ZO 3-Step Peel®

DURATION

5 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Sun Damage, PIH, Freckles

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair for 4 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 2 months

DURATION

6 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Sun Damage, Freckles

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator, Wrinkle + Texture Repair

DURATION

5 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Sun Damage, Lentigines

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair for 5 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 2 months

DURATION

7 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Sun Damage, Freckles, Lentigines

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair for 4 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 3 months

DURATION

7 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Sun Damage, Freckles, Lentigines

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair for 5 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 3 months

DURATION

8 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Rough Texture, Scars

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair

DURATION

7 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Acne, Rough Texture, Scars

PREVENT + CORRECT

Melamix™ and Tretinoin, Exfoliation Accelerator and 20 mg oral isotretinoin for 5 months, followed by Acne Control and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

DURATION

6 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Acne, PIH

PREVENT + CORRECT

Melamix™, Tretinoin, Exfoliation Accelerator and 20 mg oral isotretinoin for 5 months, followed by Acne Control and Wrinkle + Texture Repair for 1 month and as ongoing maintenance

DURATION

6 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Rosacea

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair

DURATION

6 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Rosacea

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair with oral isotretinoin

DURATION

5 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Rosacea

PREVENT + CORRECT

Retinol Skin Brightener, Exfoliation Accelerator and Wrinkle + Texture Repair

DURATION

4 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Mild Sun Damage, Chronological Aging

PREVENT + CORRECT

Growth Factor Serum

DURATION

3 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Sun Damage, Dullness, Skin Laxity, Lines, Wrinkles

PREVENT + CORRECT

Radical Night Repair

DURATION

4 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Acne, Acne Scars

PREVENT + CORRECT

Wrinkle + Texture Repair and Acne Control for 2 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 2 months

DURATION

4 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Acne, Acne Scars, PIH

PREVENT + CORRECT

Wrinkle + Texture Repair and Acne Control for 3 months

IN-OFFICE TREATMENT

ZO 3-Step Peel® performed monthly for 3 months

DURATION

6 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Acne

PREVENT + CORRECT

Acne Control

DURATION

6 months



© 2016 ZEIN OBAGI, MD

DIAGNOSIS

Oiliness, Large Pores, Rough Texture

PREVENT + CORRECT

Daily Power Defense

DURATION

3 months

INNOVATIVE TECHNOLOGY MEETS

SUPERIOR SKIN HEALTH SCIENCE

STEP 1

GETTING SKIN READY™

Cleanse. Exfoliate. Tone.

Getting Skin Ready™ is the essential first step toward achieving healthy skin. It is a simple system of cleanse, exfoliate and tone – working synergistically to restore skin to a healthy state and to optimize the effectiveness of any preventative or corrective products.



THE SCIENCE OF HEALTHY SKIN IS CLEAR

Cleanse. Exfoliate. Tone.



PATIENT SATISFACTION

SUBJECT EFFICACY

At the 8-week interval, patients self-assessed the efficacy of GSR™, reporting statistical improvements across all benefits measured:

62% improvement in
DULLNESS

69% improvement in
OILINESS

60% improvement in
REDNESS

73% improvement in
ROUGHNESS

PROTOCOL: An 8-week clinical study on 35 subjects. Subjects cleansed both AM/PM with Gentle Cleanser, exfoliated in the AM with Exfoliating Polish, and toned skin both AM/PM with the Oil Control Pads. Subjects used their own self-selected SPF 30+ sunscreen as needed throughout the course of the study.

GETTING SKIN READY™ PROVEN RESULTS



PORE REDUCTION

At the 8-week interval, GSR™ induced a 31% reduction in pores.

DISCLAIMER: Pore count/size assessment was provided by the VISIA-CR imaging system, with six different lighting modalities used for the analysis.

PROTOCOL: An 8-week clinical study on 35 subjects. Subjects cleansed both AM/PM with Gentle Cleanser, exfoliated in the AM with Exfoliating Polish, and toned skin both AM/PM with the Oil Control Pads. Subjects used their own self-selected SPF 30+ sunscreen as needed throughout the course of the study.

GETTING SKIN READY™ PROVEN RESULTS



TEXTURE IMPROVEMENT

At the 8-week interval, GSR™ induced a 46% improvement in skin texture.

DISCLAIMER: Skin texture assessment was provided by the VISIA-CR imaging system, with the standard 2 lighting modalities used for the analysis.

PROTOCOL: An 8-week clinical study on 35 subjects. Subjects cleansed both AM/PM with Gentle Cleanser, exfoliated in the AM with Exfoliating Polish, and toned skin both AM/PM with the Oil Control Pads. Subjects used their own self-selected SPF 30+ sunscreen as needed throughout the course of the study.

STEP 2

PREVENT + CORRECT

Prevent + Correct addresses specific skincare concerns with products ranging from preventative daily skincare programs, which keep skin healthy and prevent future damage, to aggressive programs that target repair and restoration.



GROWTH FACTOR SERUM

The Age Factor



PATIENT SATISFACTION

SUBJECT EFFICACY

At the 12-week interval, patients self-assessed the efficacy of Growth Factor Serum, reporting statistical improvement:

95% reported improvement in
TEXTURE AND SMOOTHNESS
AT 8 WEEKS

92% reported improvement in
OVERALL APPEARANCE
AT 12 WEEKS

78% said skin appeared
TIGHTER AND FIRMER
AT 12 WEEKS

PROTOCOL: Forty-one female subjects, Fitzpatrick Skin Types II–IV with moderate to severe fine lines and wrinkles + lack of firmness, completed a 12-week study. Subjects cleansed skin in both AM/PM with Gentle Cleanser, applied Growth Factor Serum in the AM/PM, and applied SPF 30+ Primer Sunscreen in the AM daily.

GROWTH FACTOR SERUM PROVEN RESULTS




IMPROVEMENT IN FINE LINES + WRINKLES

At the 12-week interval, 92% of patients experienced improvement in fine lines + wrinkles.

DISCLAIMER: Images were captured and analyzed with an Antera 3D camera to determine improvements in fine lines and wrinkles.

PROTOCOL: Forty-one female subjects, Fitzpatrick Skin Types II–IV with moderate to severe fine lines and wrinkles + lack of firmness, completed a 12-week study. Subjects cleansed skin in both AM/PM, with Gentle Cleanser, applied Growth Factor Serum in the AM/PM, and applied SPF 30+ Primer Sunscreen in the AM daily.

GROWTH FACTOR SERUM PROVEN RESULTS



IMPROVEMENT IN FINE LINES + WRINKLES

At the 12-week interval, 92% of patients experienced improvement in fine lines + wrinkles.

DISCLAIMER: Images were captured and analyzed with an Antera 3D camera to determine improvements in fine lines and wrinkles.

PROTOCOL: Forty-one female subjects, Fitzpatrick Skin Types II–IV with moderate to severe fine lines and wrinkles + lack of firmness, completed a 12-week study. Subjects cleansed skin in both AM/PM, with Gentle Cleanser, applied Growth Factor Serum in the AM/PM, and applied SPF 30+ Primer Sunscreen in the AM daily.

INSTANT PORE REFINER

Refines Pores. Minimizes Shine. Smoothes Texture.



PATIENT SATISFACTION

SUBJECT EFFICACY

After using Instant Pore Refiner:

84% noticed skin was
INSTANTLY MATTIFIED
UPON APPLICATION

97% noticed visible
IMPROVEMENT IN PORES
AND PORE SIZE AFTER
1 WEEK OF USE

87% agreed skin appeared
HEALTHIER AND YOUNGER-
LOOKING AFTER 1 WEEK
OF USE

PROTOCOL: Independent third-party clinical study of 32 subjects to assess the efficacy potential of Instant Pore Refiner. Following cleansing with Oilacleanse™, subjects applied Instant Pore Refiner twice a day for four weeks. Subjects were evaluated at baseline and at weeks 1, 2 and 4.

INSTANT PORE REFINER PROVEN RESULTS



PORE SIZE IMPROVEMENT

At the 4-week interval, Instant Pore Refiner addressed skin concerns commonly associated with enlarged pores by demonstrating improvement in pore size.

DISCLAIMER: Sizes of pores were measured by the VISIA-CR imaging system, using pixel intensities. A decrease in pixel intensity, represented by reduced concentrations of red, demonstrates improvement in pore size.

PROTOCOL: Independent third-party clinical study of 32 subjects to assess the efficacy potential of Instant Pore Refiner. Following cleansing with Oilacleanse™, subjects applied Instant Pore Refiner twice a day for four weeks. Subjects were evaluated at baseline and at weeks 1, 2 and 4.

INSTANT PORE REFINER PROVEN RESULTS



PORE SIZE IMPROVEMENT

At the 4-week interval, Instant Pore Refiner addressed skin concerns commonly associated with enlarged pores by demonstrating improvement in pore size.

DISCLAIMER: Sizes of pores were measured by the VISIA-CR imaging system, using pixel intensities. A decrease in pixel intensity, represented by reduced concentrations of red, demonstrates improvement in pore size.

PROTOCOL: Independent third-party clinical study of 32 subjects to assess the efficacy potential of Instant Pore Refiner. Following cleansing with Oilacleanse™, subjects applied Instant Pore Refiner twice a day for four weeks. Subjects were evaluated at baseline and at weeks 1, 2 and 4.

BRIGHTALIVE®

Distinctively Different. Highly Effective.



PATIENT SATISFACTION

SUBJECT EFFICACY

After 12 weeks of use, patients reported the efficacy of Brightalive® in improving skin tone and lessening discoloration:

80% saw a visible
REDUCTION IN THE
APPEARANCE OF DARK
SPOTS AND AGE SPOTS

84% reported that
SKIN APPEARS BRIGHTER

PROTOCOL: Independent third-party clinical study of 40 subjects to assess the efficacy potential of Brightalive® in improving the appearance of global complexion, demarcated UV spots and dark spots/hyperpigmentation. Following cleansing with Gentle Cleanser, subjects applied Brightalive® twice daily. In the AM, Sunscreen + Primer SPF 30 was applied. Subjects were evaluated at baseline, and at weeks 2, 4, 8 and 12.

BRIGHTALIVE® PROVEN RESULTS



SKIN TONE IMPROVEMENT

At the 12-week interval, Brightalive® induced a statistically significant reduction in visible dark spots.

DISCLAIMER: Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting.

PROTOCOL: Independent third-party clinical study of 40 subjects to assess the efficacy potential of Brightalive® in improving the appearance of global complexion, demarcated UV spots and dark spots/hyperpigmentation. Following cleansing with Gentle Cleanser, subjects applied Brightalive® twice daily. In the AM, Sunscreen + Primer SPF 30 was applied. Subjects were evaluated at baseline, and at weeks 2, 4, 8 and 12.

BRIGHTALIVE® PROVEN RESULTS



SKIN TONE IMPROVEMENT

At the 12-week interval, Brightalive® induced a statistically significant reduction in visible dark spots.

DISCLAIMER: Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting.

PROTOCOL: Independent third-party clinical study of 40 subjects to assess the efficacy potential of Brightalive® in improving the appearance of global complexion, demarcated UV spots and dark spots/hyperpigmentation. Following cleansing with Gentle Cleanser, subjects applied Brightalive® twice daily. In the AM, Sunscreen + Primer SPF 30 was applied. Subjects were evaluated at baseline, and at weeks 2, 4, 8 and 12.

ROZATROL®

Treatment for Red, Sensitized Skin



PATIENT SATISFACTION

SUBJECT EFFICACY

After 6 weeks of use, patients self-assessed the efficacy potential of Rozatrol® in minimizing the signs and symptoms of rosacea:

82% saw a visible
REDUCTION IN THE
APPEARANCE OF
INFLAMED SKIN

73% reported that
WITH REGULAR USE,
ROZATROL® IMPROVED
THEIR ROSACEA
CONDITION

73% saw a visible
REDUCTION IN
THE APPEARANCE
OF REDNESS

68% reported noticeable
IMPROVEMENT IN THE
REDUCTION OF VISIBLE
BLOOD VESSELS
(THE SIZE AND AMOUNT)

PROTOCOL: Statistically significant improvement at $p < 0.05$. Independent third-party clinical study of 22 subjects to assess the efficacy potential of Rozatrol® in minimizing the signs and symptoms of rosacea. Subjects were evaluated at 2, 4 and 6 weeks with the following protocol AM and PM: Oilacleanse™, Rozatrol® and Broad-Spectrum Sunscreen SPF 50 in the AM.

ROZATROL® PROVEN RESULTS



REDNESS REDUCTION

At the 6-week interval, Rozatrol® demonstrated a decrease in the signs and symptoms associated with rosacea.

DISCLAIMER: Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting.

PROTOCOL: Statistically significant improvement at $p < 0.05$. Independent third-party clinical study of 22 subjects to assess the efficacy potential of Rozatrol® in minimizing the signs and symptoms of rosacea. Subjects were evaluated at 2, 4 and 6 weeks with the following protocol AM and PM: Oilacleanse™, Rozatrol® and Broad-Spectrum Sunscreen SPF 50 in the AM.

ROZATROL® PROVEN RESULTS



REDNESS REDUCTION

At the 6-week interval, Rozatrol® demonstrated a decrease in the signs and symptoms associated with rosacea.

DISCLAIMER: Images have not been retouched. Images were acquired using the VISIA-CR photography system, with cross-polarized lighting.

PROTOCOL: Statistically significant improvement at $p < 0.05$. Independent third-party clinical study of 22 subjects to assess the efficacy potential of Rozatrol® in minimizing the signs and symptoms of rosacea. Subjects were evaluated at 2, 4 and 6 weeks with the following protocol AM and PM: Oilacleanse™, Rozatrol® and Broad-Spectrum Sunscreen SPF 50 in the AM.

HYDRATING CRÈME

Restoring Skin Vitality



PATIENT SATISFACTION

SUBJECT EFFICACY

Hydrating Crème was clinically proven to be effective on the face and body in restoring hydration, reducing redness and improving skin texture smoothness – thereby restoring skin barrier integrity. Subjects continued overall improvement throughout the study:

90% saw a visible
**IMPROVEMENT IN SKIN
DRYNESS BY WEEK 8**

90% saw a visible
**IMPROVEMENT IN SKIN
TEXTURE AND SMOOTHNESS
BY WEEK 8**

85% reported that
**SKIN APPEARED LESS RED
BY WEEK 12**

87% reported a
**REDUCTION IN ITCHING
BY WEEK 8**

PROTOCOL: A 12-week independent third-party clinical study of 42 subjects to assess the efficacy potential of Hydrating Crème. Subjects represent both males and females, ages 25–76, with Fitzpatrick skin types I–V. Supported with use of Hydrating Cleanser and Sunscreen + Primer SPF 30 during the study. Immediate benefits were determined 30 minutes post application of the Hydrating Crème.

HYDRATING CRÈME PROVEN RESULTS



OVERALL APPEARANCE IMPROVEMENT

Patients showed significant improvement in overall skin appearance, with increased hydration, reduced redness and smooth skin texture.

PROTOCOL: A 12-week independent third-party clinical study of 42 subjects to assess the efficacy potential of Hydrating Crème. Subjects represent both males and females, ages 25–76, with Fitzpatrick skin types I–V. Supported with use of Hydrating Cleanser and Sunscreen + Primer SPF 30 during the study. Immediate benefits were determined 30 minutes post application of the Hydrating Crème.

HYDRATING CRÈME PROVEN RESULTS



REDNESS IMPROVEMENT

More than 80% of patients reported that their skin felt healthier and smoother, and was more hydrated and less red by week 12.

PROTOCOL: A 12-week independent third-party clinical study of 42 subjects to assess the efficacy potential of Hydrating Crème. Subjects represent both males and females, ages 25–76, with Fitzpatrick skin types I–V. Supported with use of Hydrating Cleanser and Sunscreen + Primer SPF 30 during the study. Immediate benefits were determined 30 minutes post application of the Hydrating Crème.

HYDRATING CRÈME PROVEN RESULTS



TEXTURE + SMOOTHNESS IMPROVEMENT

Hydrating Crème visibly improves rough skin by smoothing skin texture.

DISCLAIMER: Images were captured and analyzed with an Antera analysis system to determine reduction in scaling.

PROTOCOL: A 12-week independent third-party clinical study of 42 subjects to assess the efficacy potential of Hydrating Crème. Subjects represent both males and females, ages 25–76, with Fitzpatrick skin types I–V. Supported with use of Hydrating Cleanser and Sunscreen + Primer SPF 30 during the study. Immediate benefits were determined 30 minutes post application of the Hydrating Crème.

STEP 3

PROTECT

Triple-Spectrum Protection™

The ZO® sun protection portfolio offers scientifically superior sunscreens with the broadest, most comprehensive range of sun protection available. Our advanced Triple-Spectrum Protection™ shields against UVA/UVB and infrared (IR-A) rays, as well as high-energy visible (HEV) light.



THE POWER OF TRIPLE-SPECTRUM PROTECTION™

SUNSCREENS PROTECT AGAINST UVA/UVB RAYS

The ZO® sun protection portfolio offers both physical and chemical sunscreens that provide broad-spectrum protection against harmful, skin-aging UVA rays and skin-burning UVB rays. Our physical sunscreens incorporate proven titanium dioxide and zinc oxide, while our chemical sunscreens incorporate a blend of FDA-approved filters. All ZO® sunscreens are oxybenzone free.

FRACTIONATED MELANIN PROTECTS AGAINST BLUE LIGHT (HEV LIGHT)

Fractionated melanin shields the skin from the aging effects of blue light (HEV LIGHT). Protection from this light is especially important, as exposure comes from many daily sources, such as the sun, fluorescent and LED lighting, smart phones, computers, tablets and more.

ANTIOXIDANTS PROTECT AGAINST IR-A RAYS

Engineered with our exclusive 12-hour, time-release ZO¹²™ complex, our sunscreens help shield the skin from harmful IR-A rays. They also help protect the skin from free-radical damage and prevent future signs of premature aging.

